



THE SHAPE OF THE COFFEE POWDER



Sirio-Q has been created to revolutionize the way of grinding the coffee.

The new premium grinder has been developed to meet the needs of baristas who are constantly looking for coffee with a perfect balance and excellent aroma.

Several years of experimentation and constant improvements have led to the development of new methods, technologies and parameters to be complied with.

The new concept

"the shape of coffee powder"

stems from research that proves the fundamental importance of the particle size and homogeneous shape of the ground coffee particles.

Sirio-Q is the first coffee grinder of Quamar's new vision which best represents this principle.



Sirio-Q

Q BLACK | Q WHITE





BRUSHLESS MOTOR

- up to 1000 W power
- self learning delivers only the necessary power to win the effort required during grinding, using more power only if the coffee beans are harder to grind.
- energy saving
- reduction of the heating in the grinding chamber
- coffee dose accurancy and consistency
- silent motor
- speed regulation 900 1200 1500 rpm

MECHANICAL TRANSMISSION

- new transmission system (patent pending)
- independent motor and grinding chamber
- minimised thermal transfer
- undo micrometric movements caused by dilation of overheated materials
- extremely stable grinding compartment

BURRS

- 77 mm flat burrs
- vertical position for a lower retention
 - steady position of the burrs •
- micrometric control of grinding range by frontal ring
- perfect particle size curve for all grinding standards
- innovative design for the ideal grinding in any application: espresso, Ibrik, filter, cupping (patent pending)

main features Sirio-Q

- output pipe made in glass, for minimise retention and electrostatic charge
- universal filter holder: adaptable to any portafilter
- easily removable magnetic filter holder
- optional: filter holder fork with cup kit for filter coffee
- customisable touchscreen display with intuitive electronic interface
 - aluminium body







BURRS vertical Ø 77 mm flat burrs with food friendly processing

VOLTAGE, POWER 220-240V / 110-120V - 50/60 Hz - 400W of energy absorbed on average

flexible power brushless motor

RPM three adjustable speeds 900 - 1200 - 1500 rpm

SUGGESTED DAILY PRODUCTION up to 15 kg

SUGGESTED USE ibrik, espresso, moka, filter, V60, cupping

DOSE SYSTEM automatic or manual setting for single and double dose

possibility of activating the stored dose using the switch button

GRINDING ADJUSTMENT stepless micrometric system

MATERIAL aluminium body

STANDARD HOPPER CAPACITY 500 g

NET WEIGHT AND DIMENSIONS 20,5 kg

200 x 390 x 630h mm

OPTIONALS bean hopper 150 g - 250 g - 1200 g - 1500 g

Sirio cup kit

datasheet

COLOURS









+39 0423 566 030





info@quamar.com





<u>www.quamar.com</u>

